ELSEVIER

Molecular Brain Research 84 (2000) 162–163

MOLECULAR BRAIN RESEARCH

www.elsevier.com/locate/bres

Author index

Althausen, S. and Paschen, W.
Homocysteine-induced changes in mRNA levels of genes coding for cytoplasmic- and endoplasmic reticulum-resident stress proteins in neuronal cell cultures (84) 32
Alvar, F., see Barrallo, A. (84) 1
Anderton, B.H., see Lee, K.-F. (84) 150
Ashby, B., see Sakolsky, D.J. (84) 158

Baffi, J.S., see Witta, J. (84) 67
Barrallo, A., González-Sarmiento, R., Alvar, F. and Rodríguez, R.E.
ZFOR2, a new opioid receptor-like gene from the teleost zebrafish (*Danio rerio*) (84) 1
Biggio, G., see Follesa, P. (84) 52
Bockaert, J., see Sauvage, M. (84) 79
Brabet, P., see Sauvage, M. (84) 79
Broberger, C., see Johansen, J.E. (84) 97

Cagetti, E., see Follesa, P. (84) 52
Cano, J., see Romero-Ramos, M. (84) 7
Castillo, S.O., see Witta, J. (84) 67
Chan, J.Y.-C., see Lee, K.-F. (84) 150
Chi, X.X., see Sun, H.B. (84) 146

Ebersole, B.J., see Rosendorff, A. (84) 90
Espositoto, G., see Follesa, P. (84) 52

Follesa, P., Cagetti, E., Porta, S., Espositoto, G. and Biggio, G.
Pivagabine-induced increases in the abundance of CRF mRNA in the cerebral cortex and hypothalamus of rats (84) 52

Geller, A.I., see Zhang, G.-r. (84) 17
González-Sarmiento, R., see Barrallo, A. (84) 1
Grzanna, R., see Seiffert, D. (84) 115

Hökfelt, T., see Johansen, J.E. (84) 97
Holsboer, F., see Sauvage, M. (84) 79

Ikeda, K., see Watanabe, K.-i. (84) 141
Itoh, H., see Okubo, A. (84) 127
Itoyama, Y., see Kato, H. (84) 58
Izaki, K., see Okubo, A. (84) 127

Johansen, J.E., Broberger, C., Lavebratt, C., Johansson, C., Kuhar, M.J., Hökfelt, T. and Schalling, M.
Hypothalamic CART and serum leptin levels are reduced in the anorectic (*anx/anx*) mouse (84) 97
Johansson, C., see Johansen, J.E. (84) 97

Kato, H., Oikawa, T., Otsuka, K., Takahashi, A. and Itoyama, Y.
Postischemic changes in the immunophilin FKBP12 in the rat brain (84) 58
Katori, Y., see Watanabe, K.-i. (84) 141
Kinouchi, H., see Okubo, A. (84) 127
Kiyasu, E., see Szot, P. (84) 135
Kondo, H., see Okubo, A. (84) 127
Kuhar, M.J., see Johansen, J.E. (84) 97
Kunizuka, H., see Okubo, A. (84) 127

Lau, K.-F., see Lee, K.-F. (84) 150
Lavebratt, C., see Johansen, J.E. (84) 97
Lee, K.-F., Chan, J.Y.-C., Lau, K.-F., Lee, W.-C., Miller, C.C.J., Anderton, B.H. and Shaw, P.-C.
Molecular cloning and expression analysis of human glycogen synthase kinase-3α promoter (84) 150
Lee, W.-C., see Lee, K.-F. (84) 150
Leverenz, J.B., see Szot, P. (84) 135

Machado, A., see Romero-Ramos, M. (84) 7
McLaughlin, P.J., see Zagon, I.S. (84) 106
Mezey, É., see Witta, J. (84) 67
Miller, C.C.J., see Lee, K.-F. (84) 150
Miller, M.A., see Szot, P. (84) 135
Mitchell, T., see Seiffert, D. (84) 115
Mizoi, K., see Okubo, A. (84) 127

Nikodem, V.M., see Witta, J. (84) 67

Oikawa, T., see Kato, H. (84) 58
Okubo, A., Kinouchi, H., Owada, Y., Kunizuka, H., Itoh, H., Izaki, K., Kondo, H., Tashima, Y., Yoshimoto, T. and Mizoi, K.
Simultaneous induction of mitochondrial heat shock protein mRNAs in rat forebrain ischemia (84) 127
Oshima, T., see Watanabe, K.-i. (84) 141
Otsuka, K., see Kato, H. (84) 58
Owada, Y., see Okubo, A. (84) 127

Palkovits, M., see Witta, J. (84) 67
Paschen, W., see Althausen, S. (84) 32
Peskind, E.R., see Szot, P. (84) 135
Porta, S., see Follesa, P. (84) 52

Raskind, M.A., see Szot, P. (84) 135
Roach, A., see Seiffert, D. (84) 115
Rodríguez, R.E., see Barrallo, A. (84) 1
Rohde, K., see Szot, P. (84) 135
Romero-Ramos, M., Venero, J.L., Cano, J. and Machado, A.
Low selenium diet induces tyrosine hydroxylase enzyme in nigrostriatal system of the rat (84) 7
Rosendorff, A., Ebersole, B.J. and Sealfon, S.C.
Conserved helix 7 tyrosine functions as an activation relay in the serotonin $5HT_{2C}$ receptor (84) 90

Saito, H., see Watanabe, K.-i. (84) 141
Sakolsky, D.J. and Ashby, B.
Determination of D1 and D2 dopamine receptor expression by Ntera-2 cells (84) 158
Sauvage, M., Brabet, P., Holsboer, F., Bockaert, J. and Steckler, T.
Mild deficits in mice lacking pituitary adenylate cyclase-activating polypeptide receptor type 1 (PAC1) performing on memory tasks (84) 79
Schalling, M., see Johansen, J.E. (84) 97
Sealfon, S.C., see Rosendorff, A. (84) 90
Seiffert, D., Mitchell, T., Stern, A.M., Roach, A., Zhan, Y. and Grzanna, R.
Positive–negative epitope-tagging of β amyloid precursor protein to identify inhibitors of Aβ processing (84) 115
Shaw, P.-C., see Lee, K.-F. (84) 150
Shibahara, S., see Watanabe, K.-i. (84) 141
Steckler, T., see Sauvage, M. (84) 79
Stern, A.M., see Seiffert, D. (84) 115
Suh, H.-W., see Won, J.-S. (84) 41
Sun, H.B., Yokota, H., Chi, X.X. and Xu, Z.C.
Differential expression of neurexin mRNA in CA1 and CA3 hippocampal neurons in response to ischemic insult (84) 146
Sun, M., see Zhang, G.-r. (84) 17
Szot, P., Leverenz, J.B., Peskind, E.R., Kiyasu, E., Rohde, K., Miller, M.A. and Raskind, M.A.
Tyrosine hydroxylase and

0169-328X/00/$ – see front matter © 2000 Elsevier Science B.V. All rights reserved.
PII: S0169-328X(00)00267-9

ELSEVIER

Molecular Brain Research 84 (2000) 162–163

MOLECULAR BRAIN RESEARCH

www.elsevier.com/locate/bres

Author index

Althausen, S. and Paschen, W.
Homocysteine-induced changes in mRNA levels of genes coding for cytoplasmic- and endoplasmic reticulum-resident stress proteins in neuronal cell cultures (84) 32
Alvar, F., see Barrallo, A. (84) 1
Anderton, B.H., see Lee, K.-F. (84) 150
Ashby, B., see Sakolsky, D.J. (84) 158

Baffi, J.S., see Witta, J. (84) 67
Barrallo, A., González-Sarmiento, R., Alvar, F. and Rodríguez, R.E.
ZFOR2, a new opioid receptor-like gene from the teleost zebrafish (*Danio rerio*) (84) 1
Biggio, G., see Follesa, P. (84) 52
Bockaert, J., see Sauvage, M. (84) 79
Brabet, P., see Sauvage, M. (84) 79
Broberger, C., see Johansen, J.E. (84) 97

Cagetti, E., see Follesa, P. (84) 52
Cano, J., see Romero-Ramos, M. (84) 7
Castillo, S.O., see Witta, J. (84) 67
Chan, J.Y.-C., see Lee, K.-F. (84) 150
Chi, X.X., see Sun, H.B. (84) 146

Ebersole, B.J., see Rosendorff, A. (84) 90
Espositoto, G., see Follesa, P. (84) 52

Follesa, P., Cagetti, E., Porta, S., Espositoto, G. and Biggio, G.
Pivagabine-induced increases in the abundance of CRF mRNA in the cerebral cortex and hypothalamus of rats (84) 52

Geller, A.I., see Zhang, G.-r. (84) 17
González-Sarmiento, R., see Barrallo, A. (84) 1
Grzanna, R., see Seiffert, D. (84) 115

Hökfelt, T., see Johansen, J.E. (84) 97
Holsboer, F., see Sauvage, M. (84) 79

Ikeda, K., see Watanabe, K.-i. (84) 141
Itoh, H., see Okubo, A. (84) 127
Itoyama, Y., see Kato, H. (84) 58
Izaki, K., see Okubo, A. (84) 127

Johansen, J.E., Broberger, C., Lavebratt, C., Johansson, C., Kuhar, M.J., Hökfelt, T. and Schalling, M.
Hypothalamic CART and serum leptin levels are reduced in the anorectic (*anx/anx*) mouse (84) 97
Johansson, C., see Johansen, J.E. (84) 97

Kato, H., Oikawa, T., Otsuka, K., Takahashi, A. and Itoyama, Y.
Postischemic changes in the immunophilin FKBP12 in the rat brain (84) 58
Katori, Y., see Watanabe, K.-i. (84) 141
Kinouchi, H., see Okubo, A. (84) 127
Kiyasu, E., see Szot, P. (84) 135
Kondo, H., see Okubo, A. (84) 127
Kuhar, M.J., see Johansen, J.E. (84) 97
Kunizuka, H., see Okubo, A. (84) 127

Lau, K.-F., see Lee, K.-F. (84) 150
Lavebratt, C., see Johansen, J.E. (84) 97
Lee, K.-F., Chan, J.Y.-C., Lau, K.-F., Lee, W.-C., Miller, C.C.J., Anderton, B.H. and Shaw, P.-C.
Molecular cloning and expression analysis of human glycogen synthase kinase-3α promoter (84) 150
Lee, W.-C., see Lee, K.-F. (84) 150
Leverenz, J.B., see Szot, P. (84) 135

Machado, A., see Romero-Ramos, M. (84) 7
McLaughlin, P.J., see Zagon, I.S. (84) 106
Mezey, É., see Witta, J. (84) 67
Miller, C.C.J., see Lee, K.-F. (84) 150
Miller, M.A., see Szot, P. (84) 135
Mitchell, T., see Seiffert, D. (84) 115
Mizoi, K., see Okubo, A. (84) 127

Nikodem, V.M., see Witta, J. (84) 67

Oikawa, T., see Kato, H. (84) 58
Okubo, A., Kinouchi, H., Owada, Y., Kunizuka, H., Itoh, H., Izaki, K., Kondo, H., Tashima, Y., Yoshimoto, T. and Mizoi, K.
Simultaneous induction of mitochondrial heat shock protein mRNAs in rat forebrain ischemia (84) 127
Oshima, T., see Watanabe, K.-i. (84) 141
Otsuka, K., see Kato, H. (84) 58
Owada, Y., see Okubo, A. (84) 127

Palkovits, M., see Witta, J. (84) 67
Paschen, W., see Althausen, S. (84) 32
Peskind, E.R., see Szot, P. (84) 135
Porta, S., see Follesa, P. (84) 52

Raskind, M.A., see Szot, P. (84) 135
Roach, A., see Seiffert, D. (84) 115
Rodríguez, R.E., see Barrallo, A. (84) 1
Rohde, K., see Szot, P. (84) 135
Romero-Ramos, M., Venero, J.L., Cano, J. and Machado, A.
Low selenium diet induces tyrosine hydroxylase enzyme in nigrostriatal system of the rat (84) 7
Rosendorff, A., Ebersole, B.J. and Sealfon, S.C.
Conserved helix 7 tyrosine functions as an activation relay in the serotonin $5HT_{2C}$ receptor (84) 90

Saito, H., see Watanabe, K.-i. (84) 141
Sakolsky, D.J. and Ashby, B.
Determination of D1 and D2 dopamine receptor expression by Ntera-2 cells (84) 158
Sauvage, M., Brabet, P., Holsboer, F., Bockaert, J. and Steckler, T.
Mild deficits in mice lacking pituitary adenylate cyclase-activating polypeptide receptor type 1 (PAC1) performing on memory tasks (84) 79
Schalling, M., see Johansen, J.E. (84) 97
Sealfon, S.C., see Rosendorff, A. (84) 90
Seiffert, D., Mitchell, T., Stern, A.M., Roach, A., Zhan, Y. and Grzanna, R.
Positive–negative epitope-tagging of β amyloid precursor protein to identify inhibitors of Aβ processing (84) 115
Shaw, P.-C., see Lee, K.-F. (84) 150
Shibahara, S., see Watanabe, K.-i. (84) 141
Steckler, T., see Sauvage, M. (84) 79
Stern, A.M., see Seiffert, D. (84) 115
Suh, H.-W., see Won, J.-S. (84) 41
Sun, H.B., Yokota, H., Chi, X.X. and Xu, Z.C.
Differential expression of neurexin mRNA in CA1 and CA3 hippocampal neurons in response to ischemic insult (84) 146
Sun, M., see Zhang, G.-r. (84) 17
Szot, P., Leverenz, J.B., Peskind, E.R., Kiyasu, E., Rohde, K., Miller, M.A. and Raskind, M.A.
Tyrosine hydroxylase and

0169-328X/00/$ – see front matter © 2000 Elsevier Science B.V. All rights reserved.
PII: S0169-328X(00)00267-9

norepinephrine transporter mRNA expression in the locus coeruleus in Alzheimer's disease (84) 135

Takahashi, A., see Kato, H. (84) 58
Takasaka, T., see Watanabe, K.-i. (84) 141
Takeda, K., see Watanabe, K.-i. (84) 141
Tashima, Y., see Okubo, A. (84) 127

Venero, J.L., see Romero-Ramos, M. (84) 7
Verderame, M.F., see Zagon, I.S. (84) 106

Wang, X., see Zhang, G.-r. (84) 17
Wang, Y., see Zhang, G.-r. (84) 17
Watanabe, K.-i., Takeda, K., Katori, Y., Ikeda, K., Oshima, T., Yasumoto, K.-i., Saito, H., Takasaka, T. and Shibahara, S. Expression of the *Sox10* gene during mouse inner ear development (84) 141
Witta, J., Baffi, J.S., Palkovits, M., Mezey, É., Castillo, S.O. and Nikodem, V.M. Nigrostriatal innervation is preserved in Nurr1-null mice, although dopaminergic neuron precursors are arrested from terminal differentiation (84) 67
Won, J.-S. and Suh, H.-W. The differential molecular mechanisms underlying proenkephalin mRNA expression induced by forskolin and phorbol-12-myristic-13-acetate in primary cultured astrocytes (84) 41

Xu, Z.C., see Sun, H.B. (84) 146

Yang, T., see Zhang, G.-r. (84) 17
Yasumoto, K.-i., see Watanabe, K.-i. (84) 141
Yokota, H., see Sun, H.B. (84) 146
Yoshimoto, T., see Okubo, A. (84) 127

Zagon, I.S., Verderame, M.F., Zimmer, W.E. and McLaughlin, P.J. Molecular characterization and distribution of the opioid growth factor receptor (OGFr) in mouse (84) 106
Zhan, Y., see Seiffert, D. (84) 115
Zhang, G.-r., Wang, X., Yang, T., Sun, M., Zhang, W., Wang, Y. and Geller, A.I. A tyrosine hydroxylase–neurofilament chimeric promoter enhances long-term expression in rat forebrain neurons from helper virus-free HSV-1 vectors (84) 17
Zhang, W., see Zhang, G.-r. (84) 17
Zimmer, W.E., see Zagon, I.S. (84) 106